

INVENTORY OF NATURAL AREAS WITHIN THE CITY OF NEWTON, MASSACHUSETTS

LAND MANAGEMENT COMMITTEE, NEWTON CONSERVATORS

July - September 2007

Note: The page on Ferns, Club-Moss, and Horsetails was updated by Don Lubin in July 2014.

The Land Management Committee of the Newton Conservators began a survey of the natural areas within the City of Newton in the fall of 2005. These surveys were completed by groups of committee members on a weekly basis throughout the year. Committee members ranged from inexperienced to expert in identification abilities. A dated master list was created for each individual natural area.

The Newton Master List in this document shows the overall survey results. This document establishes a baseline of existing species, which allows us to detect changes over time. We will be able to learn if species are disappearing, and can monitor the progress of invasive species. Once the Land Management Committee has enough historical data, it will become possible to identify more subtle changes retroactively.

We will have a sense of the relative "wildness" of the various open spaces, which could affect decision making with regard to siting future developments or re-assigning open space land uses.

The Newton Conservators promote the protection and preservation of natural areas, including parks, park lands, playgrounds, forests and streams, which are open or may be converted to open spaces for the enjoyment and benefit of the people of Newton for scientific study, education, and recreation. It further aims to disseminate information about these and other environmental matters.

Newton Master List Key

PROPERTY ABBREVIATIONS:		ACRES: DESCRIPTION:	ADMINISTERED BY:
AP	Awtrey Property	0.5 woodland slope to dell	Newton Conservators
AW	Avery Woods		
BM	Baldpate Meadow Conservation Area		Conservation Commission
BP	Bullough's Pond	4.9 wooded wetland, wildlife	Parks and Recreation
CL	Crystal Lake	9.0 shallow, man-made pond *	Parks and Recreation
CP	Charles River Path, California Street	33.0 shoreline path, "great pond" (a pond that's larger than ten acres) *	MDCR
CQ	Charles River Path, Quinobequin Road	1.6 scenic view of Charles River	MDCR
CR	Charles River Path, Williams Street	16.3 wooded, views of Charles River	City of Newton
CS	Cold Spring Park	1.5	Parks and Recreation
CW	Charles River Path, Wells Ave.**	67.0 wooded areas, fields, brook, wetlands, birding *	Conservation Commission
DR	Dexter Road	30.5 wetlands, wooded floodplain *	Newton Conservators
DP	Dolan Pond Conservation Area	0.2 wooded hillside	Conservation Commission
EB	East Parish Burying Ground	8.0 wetlands, paths, boardwalks, foot bridges, four small ponds, birding *	City of Newton
EP	Edmands Park	3.0 burying ground used as early as 1672	Parks and Recreation
FB	Frank Barney Conservation Area	33.0 stone walls, woods, small clearings, wetlands, Edmands Brook, glacial esker *	Conservation Commission
GC	Goddard Christina Conservation Area	1.7 woods, rock ledges, view	Conservation Commission
HB	Hahn Brook Conservation Area	4.3 woods, wetland, wildlife	Conservation Commission
HG	Hemlock Gorge Reservation	4.4 wooded floodplain, wildlife	MDCR
HO	Houghton Garden**	23.0 stone bridge, deep river gorge, waterfall, steep banks, views *	Conservation Commission
HW	Hunnewell Woods Conservation Area	wild garden, paths, stream, lagoon-like pond * (included in Webster Conservation Area Acres)	Conservation Commission
KP	Kennard Park Conservation Area	1.7 wooded slope	Conservation Commission
KW	Kesseler Woods	32.3 post-agricultural forest, mixed and conifer woodlands, stone walls, red maple swamp, sensitive fern marsh *	Conservation Commission
LM	Leo J. Martin Golf Course	42.7 path, woodland	Conservation Commission
MC	Martin Conservation Area	18 hole golf course partially in Newton Lower Falls	MDCR
MH	Mary Hunnewell Fyffe Footbridge	0.6 wooded slope	Conservation Commission
NA	Nahanton Park	several views of Charles River, riverbanks grassy sloping shorelines*	MDCR
NC	Newton Cemetery	57.0 meadows, wooded hillsides, wetlands, pond, open plateau overlooking river valley, birding *	Parks and Recreation
NO	Norumbega Park Conservation Area	100.0 hills, ponds, streams, birding	Newton Cemetery Corp.
OH	Oak Hill Pathway	13.0 trails, meadow, steep pine and hemlock covered riverbanks, wooded knoll, scenic view of Charles River *	Conservation Commission
OP	Ordway Park	drumlin, elevation of 291 feet, sandy till, scenic view	Conservation Commission
OW	Oakdale Woods Conservation Area	0.5 natural woodland garden *	Newton Conservators
SB	South Parish Burying Ground	2.5 wooded, Stearns Brook, short trail	Conservation Commission
SF	Staniford Flowed Meadow Conservation Area	1.3 burying ground dating from 1802	City of Newton
SM	Saw Mill Brook Conservation Area	28.0 wetlands, kettle hole, pathways *	Conservation Commission
VH	Varick Hill Conservation Area & Aqueduct (within city block)	31.9 trail, brook, wooded upland, wetland, stone fences, birding, dramatic puddingstone outcroppings *	Conservation Commission
WB	West Parish Burying Ground	0.2 path, woodland	City of Newton & MWRA
		1.6 burying ground dating from 1781	City of Newton

WC [Webster Conservation Area](#)

WI Wilson Conservation Area & Aqueduct (within city block)

113.7 wooded area, rock outcroppings, brooks, ponds, wetlands, field, deer park, historic woodland garden*

0.5 wooded area

Conservation Commission

Conservation Commission

[* Walking Trails in Newton's Park & Conservation Lands by Newton Conservators, Inc.](#)

**To be added at a later date

MDCR = Massachusetts Department of Conservation and Recreation

MWRA = Massachusetts Water Resources Authority

NATIVE - NON-NATIVE:

N Native

EXPLANATION:

(indigenous) taxa are those considered to include Massachusetts (Middlesex County) as part of their natural range within historical times ***

I Introduced

(non-indigenous) species, sometimes referred to as "alien" or 'exotic,' are those which have been deliberately or accidentally introduced into Massachusetts (Middlesex County) through human activities, even if passively via adjacent states ***

MI Middlesex County

occurs in Middlesex County***

MA Massachusetts

occurs in Massachusetts ***

NE New England

occurs in New England

AVOID avoid using these invasive plants

species are found in more than six locations

E MESA Rank ****
T MESA Rank ****
SC MESA Rank ****
Watch List (as of February 2007) ****

MESA = Massachusetts Endangered Species Act Ranks (MESA-ranks)

E Engangered

Any species of plant or animal in danger or extirpation throughout all or a significant portion of its range, and species of plants or animals in danger of extirpation as documented by biological research and inventory. ****

T Threatened

Any species of plant or animal likely to become an endangered species within the foreseeable future throughout all or a portion of its range, and any species declining or rare as deemed by biological research and inventory and likely to become endangered in the foreseeable future. ****

SC Special Concern

Any species of plant or animal which has been documented by biological research and inventory to have suffered a decline that could threaten the species if allowed to continue unchecked or that occurs in such small numbers or with such a restricted distribution or specialized habitat requirements that it could easily become threatened in Massachusetts. ****

*** *The Vascular Plants of Massachusetts A County Checklist* by Bruce A. Sorrie and Paul Somers**** Alternative for *Invasive Ornamental Plant Species* by The Connecticut Agricultural Experiment Station, and [Invasive Plant Atlas of New England \(IPANE\)](http://nbii-nin.ciesin.columbia.edu/ipane/index.htm) <http://nbii-nin.ciesin.columbia.edu/ipane/index.htm>

***** Status List of Massachusetts Rare Plants edited by Melissa Dow Cullina, Paul Somers and Kathy Wilensky from the Natural Heritage & Endangered Species Program, Massachusetts Division of Fisheries & Wildlife February, 2007

Field Guides used for Surveys:

A Field Guide to Mushrooms: North America, Peterson Field Guides by Kent H. McKnight and Vera B. McKnight
Ferns of Northeaster and Central North America, Peterson Field Guides by Cobb/Farnsworth/Lowe
Fruit Key & Twig Key to Trees & Shrubs by William M. Harlow, PH.D.
National Audubon Society Field Guide to New England by Peter Alden
Newcomb's Wildflower Guide by Lawrence Newcomb
The Shrub Identification Book by George W.D. Symonds
The Sibley Guide to Birds of Eastern North America by David Allen Sibley
The Tree Identification Book by George W.D. Symonds

References used for Written Materials:

Alternatives for Invasive Ornamental Plant Species by The Connecticut Agricultural Experiment Station
National Audubon Society Field Guide to New England by Peter Alden
The Sibley Field Guide to Birds of Eastern North America by David Allen Sibley
The Vascular Plants of Massachusetts: A County Checklist by Bruce A. Sorrie and Paul Somers

Land Management Committee Members:

Cris Criscitiello, Co-chair
Beth Schroeder, Co-chair

AnnaMaria Abernathy
Sue Avery
Marygrace Barber
Larry Burdick
Henry Finch
Pete Gilmore
Debbie Howard
Sam Jaffe
Bill Joplin
Robert Kittredge
Walter Kittredge
Ted Kuklinski
Don Lubin
Eric Reenstierna

Quantity of Species Represented:

approximately 615 Different Plant Species
approximately 162 Different Animal Species

BOTANICAL NAME	COMMON NAME	NATIVE	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI
MUSHROOMS:																																							
<i>Amanita pantherina</i>	panthercap																						KP																
<i>Auricularia auricula</i>	brown ear fungus																						KP																
<i>Boletus ornatipes</i>	goldstalk																						KP																
<i>Calvatia gigantea</i>	giant puffball																																VH						
<i>Clitocybe nuda</i>	wood blewit																						KP																
<i>Clitocybe sp.</i>																																VH							
<i>Coprinus cornutus</i>																																VH							
<i>Coprinus micaceus</i>																																WC							
<i>Coprinus niveus</i>	glistening inky cap snowy ink cap																															WC							
<i>Coriolus versicolor</i>	turkeytail fungus						CL		CQ		CS	CW	DP	DR		FB			KP									OP	OP	SF	SM	WC							
<i>Laetiporus sulphureus</i>	sulfur shelf mushroom																														OH	OP							
<i>Lycoperdon</i> sp.	puffball															CQ																	VH						
<i>Mycena galericulata</i>	rosy-gill fairy helmet																															OP							
<i>Piptoporus betulinus</i>	birch polypore																CR																						
<i>Pseudohydnum gelatinosum</i>	apricot jelly fungus																CQ																						
<i>Ramaria</i> sp.	coral mushroom																																						
<i>Russilica fragillus</i>																																							
<i>Russula cyanoxantha</i>	brittle gill							BP																									SM						
<i>Russula fragilis</i>	fragile russula																																						
<i>Schizophyllum commune</i>	split gill																CR																						
<i>Tremella folacea</i>	leaf jelly																																	VH					
<i>Tremella mesenterica</i>	witch's butter																																SM						
<i>Tremellodendron schweinitzii</i>	false coral red and white round gall bracket fungus																	FB															SM						
MOSS:																																							
<i>Polytrichum commune</i>	common haircap moss	native	AW		CP		CS	CW		EB	EP	FB		HG		KP			NA								SF	SM	WC										
<i>Sphagnum</i> sp.	sphagnum moss	native					CS	DP																				SF	SM	WC									
<i>Thuidium</i> sp.	fern moss																																WC						
LICHEN:																																							
<i>Cladonia</i> sp.	reindeer lichen																	DP																					
<i>Physcia millegrana</i>	foliose lichen dog lichen, rock tripe																																SF						
																																		WC					

BOTANICAL NAME	COMMON NAME	NATIVE	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	KW	KP	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI					
FERNS:																																											
<i>Asplenium platyneuron</i>	ebony spleenwort	N-MI																		HG																							
<i>Athyrium filix-femina</i> , <i>A. angustum</i>	northern lady fern	N-MI	AP		BM	BP	CL	CP	CQ		CS	CW	DP	DR	EP		HB	HG		KP	KW	LM		NA	NC	NO		OW		SF	SM		WC	WI									
<i>Cystopteris tenuis</i>	MacKay's fragile fern or brittle fern	N-MI																	HG																								
<i>Dennstaedtia punctilobula</i>	hayscented fern	N-MI					CL	CP			CS	CW	DP		EP					KP	LM	MC		NA	NC	NO		OW		SF	SM		WC										
<i>Dryopteris carthusiana</i> = <i>spinulosa</i>	spinulose or toothed wood fern	N-MI			BM		CP				CS	CW	DP		EP	FB	GC	HB		KP	KW			NA	NC			OW		SF	SM		WC										
<i>Dryopteris cristata</i>	crested wood fern	N-MI			BM																																						
<i>Dryopteris intermedia</i>	evergreen, intermediate, glandular wood fern	N-MI	AP		BM						CS	CW	DP		EP		HB		KP		MC		NA				OW		SM	VH		WC											
<i>Dryopteris marginalis</i>	marginal wood fern	N-MI									CS							HB	HG	KP		MC											WC										
<i>Dryopteris Xbootii</i>	Boott's wood fern				BM							CW																															
<i>Dryopteris Xtriploidea</i>	hybrid wood fern, fruitful wood fern	N-MI									CS	DP					HB			KP													SF	WC									
<i>Matteuccia struthiopteris</i> = <i>Pteretis pen.</i>	ostrich fern	N-MI										CW																															
<i>Onoclea sensibilis</i>	sensitive fern	N-MI			BM	BP	CL	CP	CQ		CS	CW	DP	DR	EP		GC	HB	KP	KW	LM		NA	NC	NO		SF	SM	VH	WC													
<i>Osmunda cinnamomea</i>	cinnamon fern	N-MI			BM	BP	CL	CP	CQ		CS	CW	DP	DR	EP		GC		KP	LM			NA	NC	NO		OW		SF	SM	WC												
<i>Osmunda claytoniana</i>	interrupted fern	N-MI			BM	BP			CQ		CS	CW			EP		GC	HB	KP	LM			NC				OW		SF	SM	WC												
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	N-MI			BM	BP			CQ		CS	CW	DP	DR			HB		KP	LM			NA	NO						SF	SM	WC											
<i>Polyodium virginianum</i>	rockcap fern, common polypody	N-MI																	KP															WC									
<i>Polyodium appalachianum</i> x <i>virginianum</i>	hybrid polypody	N-MI																		KP														WC									
<i>Polystichum acrostichoides</i>	Christmas fern	N-MI									CS																								WI								
<i>Pteridium aquilinum</i> var. <i>latiusculum</i>	bracken, eastern bracken fern	N-MI					CP	CP	CQ		CS	CW			EP	FB	HB	KP		LM	MC	NA	NO		OW		SF	SM	WC														
<i>Thelypteris noveboracensis</i>	New York fern	N-MI				BP					CS	CW			EP		KP		LM									OW		SF	SM	WC											
<i>Thelypteris palustris</i> var. <i>pubescens</i>	marsh fern	N-MI			BM	BP	CP	CP	CQ		CS	CW	DP		EP		HB	KP		LM			NA						SF	SM	WC												
<i>Thelypteris simulata</i> = <i>Parathelypteris sim.</i>	Massachusetts fern	N-MI								CS																								WC									
<i>Woodwardia virginica</i>	Virginia chain fern	N-MI																																		WC							
CLUB-MOSES:																																											
<i>Dendrolycopodium hickeyi</i>	Hickey's club-moss or ground-pine	N-MI									CW									KW										SF	SM	WC											
<i>Dendrolycopodium obscurum</i> = <i>L. obscurum</i>	ground-pine, princess-pine or tree club-moss	N-MI									CW							KP		LM			NO						SF	SM	WC												
<i>Diphasiastrum digitatum</i>	ground-cedar																							NA																			
HORSETAILS:																																											
<i>Equisetum arvense</i>	field or common horsetail	N-MI			BP			CS	CW	DP	DR	EP											NC		OW		SF		WC														

BOTANICAL NAME	COMMON NAME	NATIVE	AP	AW	BM	BP	CL	CP	CR	CQ	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI
CONIFERS:																																							
<i>Abies balsamea</i>	balsam-fir	N-MI																														WC	WI						
<i>Abies concolor</i>	white fir	I-MI																																					
<i>Abies fraseri</i>	Fraser fir	I-MI																																					
<i>Cedrus atlantica</i>	Atlas blue cedar 'Gallica Pendula'	I-MI																											NC	NO									
<i>Cedrus atlantica glauca</i>	blue atlas cedar																												NC	NO									
<i>Chamaecyparis pisifera</i>	threadleaf cypress	I-MI																											NC	NO									
<i>Chamaecyparis thyoides</i>	Atlantic white cedar	N-MI																											NC	NO									
<i>Ginkgo biloba</i>	gingko, maidenhair tree	I-MI, China																											NC	NO									
<i>Juniperus communis</i> var. <i>depressa</i>	creeping juniper (horizontalis out of range)	I?MA																											NC	NO									
<i>Juniperus virginiana</i>	eastern red-cedar	N-MI																											WC	WI									
<i>Metasequoia glyptostrooides</i>	dawn redwood	I-MI																											NC	NO	OH								
<i>Picea abies</i>	Norway spruce	I-MI																															WC						
<i>Picea glauca</i>	white spruce	I-MA																																					
<i>Picea pungens</i>	blue spruce	I-MI																																					
<i>Picea sp.</i>	spruce																																						
<i>Pinus cembra</i>	Swiss stone pine																																						
<i>Pinus echinata</i>	short-leaf pine (not recorded for NE, cult?)																																						
<i>Pinus nigra</i>	Austrian pine	Europe																																					
<i>Pinus resinosa</i>	red pine	N-MI																																					
<i>Pinus rigida</i>	pitch-pine	N-MI																																					
<i>Pinus strobus</i>	white pine	N-MI	AW	BM	CL	CP	CR	CQ	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI		
<i>Pinus sylvestris</i>	Scotch pine	I-MI																																					
<i>Pseudotsuga menziesii</i>	Douglas fir																																						
<i>Sciadopitys verticillata</i>	umbrella pine																																						
<i>Taxus canadensis</i>	American or Canada yew, ground-hemlock	N-MI																																					
<i>Taxus cuspidata</i>	Japanese yew	I-MA, China																																					
<i>Taxus sp.</i>	yew	I-MA	AP	AW	BP	CL	CP	CR	CS	CW	DP	DR	EB	EP	FB	HB	HW	KP	LM	MC	NC	NO	OH	OP	OW	SB	SF	SM	VH	WC	WI								
<i>Thuya occidentalis</i>	arbor vitae, northern white cedar	N-MA, I-MI			CL				CS																														
<i>Tsuga canadensis</i>	eastern hemlock	N-MI			CL				CS	CW	DP	DR	EP	FB	HB	HG	KP	MC	NC	NO	OW	SF	VH	WC	WI														

BOTANICAL NAME	COMMON NAME	NATIVE	AP	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI							
<i>Malus</i> sp. = <i>Pyrus</i>	crabapple species	I-MI			AW	BM	BP	CL	CP	CQ		CW	DR	EP	FB	GC	HB	HG	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WC	WI											
<i>Morus alba</i>	white mulberry	I-MI																																												
<i>Morus</i> sp.	mulberry species																																													
<i>Nyssa sylvatica</i>	black or sour gum, tupelo	N-MI																																												
<i>Ostrya virginiana</i>	hop-hornbeam, ironwood	N-MI			BM	BP	CP	CQ		CS		DR	EP	FB																																
<i>Phellodendron amurense</i>	cork tree																																													
<i>Platanus occidentalis</i>	American sycamore	N-MI																																												
<i>Platanus x acerifolia</i>	London planetree	I-MI																																												
<i>Populus alba</i>	white poplar	I-MI																																												
<i>Populus deltoides</i>	cottonwood	N-MA, I-MI							CP		CS		DP					GC																			VH									
<i>Populus grandidentata</i>	big-toothed aspen	N-MI																																												
<i>Populus</i> sp.	aspen species	N-MI																																												
<i>Populus tremuloides</i>	trembling or quaking aspen	N-MI																																												
<i>Prunus avium</i>	sweet, Bing or Mazzard cherry	I-MI																																												
<i>Prunus cerasus</i>	sour or pie cherry	I-MI																																												
<i>Prunus pensylvanica</i>	pin cherry	N-MI								CP																																				
<i>Prunus serotina</i>	black cherry	N-MI			AP	AW	BM	BP	CL	CP	CQ	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	KP	LM	MC	MH	NA	NC	NO	OH	OP	OP	OW	SB	SF	SM	VH	WB	WC	WI							
<i>Prunus</i> sp.	plum species	N-MI																																												
<i>Prunus virginiana</i>	choke-cherry	N-MI																																												
<i>Quercus alba</i>	white oak	N-MI			AW	BP	CL	CQ	CS	CW	DR	EP	FB	GC	HB	HG	KP	LM	MC	MH	NA	NO	OP	OW	SF	SM	VH	WB	WC																	
<i>Quercus bicolor</i>	swamp white oak	N-MI																																												
<i>Quercus coccinea</i>	scarlet oak	N-MI																																												
<i>Quercus palustris</i>	pin oak	N-MA, I-MI																																												
<i>Quercus rubra</i>	red oak	N-MI			AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	HB	HG	HG	KP	KW	MC	NA	NC	NO	NO	OP	OW	SB	SF	SM	VH	WB	WC	WI									
<i>Quercus</i> sp.	oak																																													
<i>Quercus velutina</i>	black oak	N-MI																																												
<i>Robinia pseudoacacia</i> AVOID	black locust	I-MI																																												
<i>Salix alba</i>	white willow	I-MI																																												
<i>Salix babylonica</i>	weeping willow	I-MI																																												
<i>Salix</i> sp.	willow species																																													
<i>Sassafras albidum</i>	sassafras	N-MI																																												
<i>Sophora japonica</i>	Japanese pagodatree																																													
<i>Sorbus americana</i>	American mountain ash, roundwood	N-MI																																												
<i>Sorbus aucuparia</i>	European mountain-ash, rowan-tree	I-MI																																												
<i>Sorbus</i> sp.	mountain ash species																																													
<i>Stewartia pseudocamellia</i>	Japanese stewartia																																													
<i>Tilia americana</i>	basswood	N-MI																																												
<i>Ulmus americana</i>	American or white elm	N-MI																																												
<i>Ulmus glabra camperdownii</i>	Camperdown elm	I-MI, Europe																																												
<i>Ulmus</i> sp.	elm	N-MI																																												
<i>Ulmus rubra</i>	slippery or red elm	N-MI																																												
<i>Zelkova serrata</i>	Japanese zelkova																																													

BOTANICAL NAME SHRUBS:	COMMON NAME	NATIVE	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI								
<i>Alnus glutinosa</i> AVOID	black or European alder	I-MI						CP								EP																															
<i>Alnus incana</i> ssp. <i>rugosa</i>	speckled alder	N-MI				BP										DP																															
<i>Alnus serrulata</i>	smooth alder	N-MI																																													
<i>Alnus</i> sp.	alder																																														
<i>Amelanchier canadensis</i>	thicket shadbush, eastern serviceberry	N-MI						CP								CR		CS																													
<i>Amorpha fruticosa</i> AVOID	false indigo, indigo-bush	I-MI						CP								DP		DP																													
<i>Ampelopsis brevipedunculata</i> AVOID	porcelain-berry	I-MI, China						CL								CS																															
<i>Aralia spinosa</i>	Hercules' club, devil's walking-stick	I-MA						BP																																							
<i>Berberis thunbergii</i> AVOID	Japanese barberry	I-MI, Japan	AW	BM	BP	CL	CP	CQ	CS	CS	DP	DR	EP	GC	HB	HG	KP	LM	MH	NA	NO	OW	SF	SM	VH	WC	WI																				
<i>Calycanthus floridus</i>	Carolina allspice, sweetshrub	I-MA																																													
<i>Cephalanthus occidentalis</i>	buttonbush	I-MA						CL								DP																															
<i>Cephalostachyum</i> sp.	bamboo															CS																															
<i>Chaenomeles speciosa</i>	Japanese or flowering quince	I-MA						BP																																							
<i>Clethra alnifolia</i>	sweet pepperbush	N-MI						CL	CP	CQ	CS	CW	DP				HG	KP	LM																												
<i>Clethra alnifolia</i> 'Hummingbird'	dwarf sweet pepperbush																																														
<i>Comptonia peregrina</i>	sweet fern	N-MI				BM		CP			CS	CW																																			
<i>Cornus alternifolia</i>	pagoda dogwood	N-MI																																													
<i>Cornus canadensis</i>	bunchberry	N-MI																																													
<i>Cornus amomum</i>	silky dogwood	N-MI				BM	BP	CL	CP	CQ	CS	CW	DP		EP	GC		KP	LM		NA																										
<i>Cornus racemosa</i> = <i>foemina</i>	gray dogwood	N-MI						CP								CS																															
<i>Cornus sericea</i> = <i>stolonifera</i>	red osier dogwood	N-MA, I-2-MI						CP	CR	CS																																					
<i>Cornus</i> sp.		N-MI																																													
<i>Corylus americana</i>	American filbert or hazelnut	N-MI							CQ	CS			EP	FB		KP		MC		NO																											
<i>Corylus cornuta</i>	beaked hazelnut	N-MI							CS																																						
<i>Corylus</i> sp.	hazelnut	N-MI																																													
<i>Dierville lonicera</i>	bush-honeysuckle	N-MI															CS																														
<i>Enkianthus</i> sp.	enkianthus	I-MI																																													
<i>Euonymus alatus</i> AVOID	winged euonymus or burning bush	I-MI	AP	AW	BM	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	HB	HW	KP	LM	MC	MH	NA	NC	NO	OH	OP	OW	SF	SM	VH	WC	WI														
<i>Forsythia x intermedia</i>	forsythia	I-MI	AP	AW	BP	CL							DR																																		
<i>Gaylussacia baccata</i>	black huckleberry		AW													EP	FB	HB	KP	MC	NA																										
<i>Hamamelis virginiana</i>	witch-hazel	N-MI			BP	CP	CS																																								
<i>Hydrangea arborescens</i>	wild hydrangea, seven-bark	I-MI															DP																														
<i>Hydrangea paniculata</i>	peegee hydrangea	I-MI, Japan															CS																														
<i>Hypericum prolificum</i> = <i>spathulatum</i>	shrubby St. John's-wort	I-MI																																													
<i>Ilex glabra</i> 'compacta'	inkberry	N-MI			BP	CL																																									
<i>Ilex</i> sp.	holly																																														
<i>Ilex verticillata</i>	winterberry, black alder	N-MI															CW	DP																													
<i>Kalmia angustifolia</i>	sheep laurel, lambkill, wicky	N-MI															CS																														
<i>Kalmia latifolia</i>	mountain-laurel	N-MI			BP												EP	FB	HW	KP																											
<i>Leucothoe fontanesiana</i>	dog hobble, drooping fetterbush	I-MA															CS	CW																													
<i>Ligustrum vulgare</i> AVOID	common or hedge-privet	I-MI				CL													HB																												
<i>Lindera benzoin</i>	spicebush	N-MI	BM			CS											GC		KP	KW																											
<i>Lonicera maackii</i> AVOID	Amur honeysuckle	I-MA			CP	CQ		DP									HB																														
<i>Lonicera</i> sp.	honeysuckle	I-MI	AP		CP	CQ		DP										HB																													
<i>Lonicera tatarica</i> AVOID	Tatarian honeysuckle	I-MI, Asia																																													
<i>Lyonia ligustrina</i>	maleberry	N-MI															DP																														
<i>Morella pensylvanica</i> = <i>Myrica</i>	bayberry, wax-myrtle, candleberry	N-MI			BP	CP											DR	FB	HB	HW																											
<i>Philadelphus coronarius</i>	European or sweet mock-orange	I-MI	BM			CS	CW	DP									EP	FB	GC	HB	HG	KP																									
<i>Photinia x prunifolia</i> = <i>aronia</i> = <i>pyrus</i>	purple chokeberry	N-MI																																													
<i>Physocarpus opulifolius</i>	ninebark	I-MI															EP	FB	GC	HB	HG	KP																									
<i>Rhamnus cathartica</i> AVOID	common buckthorn	I-MI			CL	CQ	CS	CW	DP								EP	FB	GC	HB	HG	KP																									
<i>Rhamnus frangula</i> = <i>Frangula alnus</i> AVOID	glossy, smooth or European alder-b.	I-MI	BM	BP													EP	FB	GC	HB	HG	KP																									
<i>Rhamnus</i> sp.	buckthorn	I-MI			CP																																										
<i>Rhododendron carolinianum</i>	Carolina rhododendron	E USA																																													
<i>Rhododendron maximum</i>	great laurel, rhododendron, rosebay	N-MI						CS																																							

BOTANICAL NAME	COMMON NAME	NATIVE	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI								
VINES:																																															
<i>Ampelopsis brevipedunculata</i> AVOID	porcelain-berry	I-MI					CL																																								
<i>Calystegia sepium</i> ssp. <i>sepium</i>	European morning-glory, hedge-bindweed	I-MI				BP																																									
<i>Celastrus orbiculata</i> AVOID	Oriental bittersweet	I-MI, Japan	AP	BM	BP	CL	CP	CQ		CS	CW	DP	DR		EP		GC	HB	HG	HW	KP	KW	LM		MH	NA	NC	NO	OP	OW	SB	SF	SM	VH	WC	WI											
<i>Celastrus scandens</i>	American bittersweet	N-MI				CL												HB																													
<i>Cynanchum louiseae</i> = <i>nigrum</i> AVOID	black swallow-wort, Louise's swallow-wort	I-MI				CP		CR										HG																													
<i>Echinocystis lobata</i>	wild balsam-apple, prickly cucumber	N-MI				CP		CR									DP																														
<i>Euonymus fortunei</i>	winter creeper	I-MA	AP	BP	CL	CP	CQ	CS									DR	EB	EP	GC	HB	HG																									
<i>Hedera helix</i>	English or European ivy	I-MA	AP	BP	CL	CP	CR										DR	EB	FB																												
<i>Lonicera japonica</i> AVOID	Japanese honeysuckle	I-MI, Japan		BM													DR	EP	HB	HG																											
Lonicera sp.	honeysuckle																																														
<i>Parthenocissus quinquefolia</i>	Virginia creeper, woodbine	N-MI	AP	AW	BM	BP	CL	CP	CQ		CS	CW	DP	DR		FB	GC	HB	HG	HW	KP		LM	MC	MH	NA	NC	OP	OW	SB	SF	SM	WB	WC													
<i>Parthenocissus tricuspidata</i>	Boston ivy	I-MI																HB																													
<i>Rubus flagellaris</i> = <i>jaysmithii</i>	northern, common dewberry	N-MI					CQ		CS	CW		DR		EP	FB																																
<i>Rubus hispida</i>	bristly, running or swamp-dewberry	N-MI					BM		CS	CW																																					
<i>Sicyos angulatus</i>	Bur-cucumber	N-MI																																													
<i>Smilax glauca</i>	sawbrier, wild sarsaparilla	N-MI															EP																														
<i>Smilax rotundifolia</i>	common greenbrier, catbrier, bullbrier	N-MI						CQ		CS	CW	DP		EP			HB	HG	KP		LM		NA	NO		OW		SF	SM		WC																
<i>Solanum dulcamara</i> AVOID	bittersweet climbing nightshade or bitters.	I-MI				BM	BP	CL	CP	CQ	CS	CW	DP			HB	HG	KP	LM		MH	NA	NC	OH		SB	SF	SM	VH	WB	WI																
<i>Toxicodendron radicans</i>	poison-ivy, climbing poison-ivy	N-MI	AP	AW	BM	BP	CP	CQ		CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI									
<i>Vinca minor</i>	periwinkle, myrtle	I-MI, Europe	AP			BP		CQ		DP	DR	EB	FB				KP																														
<i>Vitis labrusca</i>	fox-grape (Concord)	N-MI				BM		CQ		CS	DP						HB				LM		NA		NC																						
<i>Vitis riparia</i>	river-bank or frost-grape	N-MI					CP																																								
<i>Vitis</i> sp	grape					CL	CL																																								
<i>Wisteria floribunda</i>	Japanese wisteria	I-MI, Japan								CS																																					
<i>Wisteria frutescens</i> = <i>macrostachya</i>	Atlantic or long-clustered wisteria	I-MA																FB																													
<i>Wisteria</i> ssp.	wisteria	I-MA																																													

BOTANICAL NAME WILDFLOWERS & FORBS:	COMMON NAME	NATIVE	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI				
<i>Acalypha virginica</i>	three-seeded mercury, Virginia copperleaf	N-MI	AP				CL					CW	DP																														
<i>Achillea millefolium</i>	yarrow	I-MI				BP					CS	CW	DR																														
<i>Aegopodium podagraria</i> AVOID	goutweed, goat's foot	I-MI					CL	CQ		CS	DP	DR																															
<i>Ajuga reptans</i>	carpet-bugleweed or -bugle	I-MI																																									
<i>Alliaria petiolata</i> AVOID	garlic-mustard	I-MI	Europe	AP	AW	BM	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HW	KP	KW	LM	MC	MC	NO																	
<i>Allium canadense</i>	wild garlic, wild onion?	N-MI				BP		CP	CQ																																		
<i>Allium schoenoprasum</i> var. <i>schoenoprasum</i>	chives	I-MI					CP																																				
<i>Allium sp.</i>	chive																																										
<i>Allium tricoccum</i>	wild leek, ramps	N-MI									CS																																
<i>Ambrosia artemisiifolia</i>	common ragweed	N-MI				BP	CL	CP	CQ		CW																																
<i>Amphicarpa bracteata</i>	hog-peanut	I-MI																																									
<i>Anemone quinquefolia</i>	wood anemone, wind-flower	N-MI									CS																																
<i>Antennaria neodioica</i> Greene ssp. <i>Petaloidea</i>	field pussytoes	N-MI																																									
<i>Antennaria sp.</i>	pussytoes	N-MI									CS																																
<i>Anthemis sp.</i>	chamomile	I-MI																																									
<i>Apocynum androsaemifolium</i>	spreading or pink dogbane	N-MI									CS																																
<i>Apocynum sp.</i>	dogbane																																										
<i>Apocynum cannabinum</i>	Indian hemp	N-MI																																									
<i>Aquilegia canadensis</i>	wild or red columbine	N-MI																																									
<i>Aralia nudicaulis</i>	wild sarsaparilla	N-MI				BM	BP	CP	CQ	CS	CW	DR	FB	GC	HB	HW	KP	KW	LM	MC	NA	NA	NC	OP	OP	SF	SF	WC	WC	WC	WC	WI											
<i>Arctium minus</i>	common burdock	I-MI			BM	BP		CQ	CS	DR	EP	GC	GC	HB	HW	KP	KW																										
<i>Arisaema triphyllum</i> ssp. <i>triphyllum</i>	woodland jack-in-the-pulpit, Indian turnip	N-MI						CQ	CS																																		
<i>Artemisia vulgaris</i>	mugwort	I-MI							CS																																		
<i>Asclepias incarnata</i> ssp. <i>incarnata</i>	smooth swamp-milkweed	N-MA																																									
<i>Asclepias syriaca</i>	common milkweed	N-MI			BP	CP	CQ	CS																																			
<i>Asperula arvensis</i>	woodruff	I-MA									DR																																
"Aster" sp.	wood aster				AW	BM	CL				DR	EB	EP	GC	HW	KW																											
<i>Aster infirmus</i>	cornel-leaf or Appalachian flat-topped white aster	N-MI																																									
<i>Aster pilosus</i> var. <i>pilosus</i>	hairy aster	N-MI																																									
<i>Aster puniceus</i>	swamp aster	N-MI																																									
<i>Baptisia tinctoria</i>	yellow wild indigo, tattleweed, horsefly-weed	N-MI																																									
<i>Berteroa incana</i>	hoary alyssum	I-MI					BM	CP																																			
<i>Bidens bipinnata</i>	Spanish needles																																										
<i>Bidens coronata</i>	Northern tickseed sunflower	N-MI																																									
<i>Bidens frondosa</i>	devil's pitchforks or beggar-ticks, sticktight	N-MI							CQ		DP		FB																														
<i>Bidens sp.</i>	bidens																																										
<i>Boehmeria cylindrica</i>	false nettle, bog-hemp	N-MI			BP	CL	CP																																				
<i>Brassica juncea</i>	brown, Indian, or Chinese mustard	I-MI																																									
<i>Brassica rapa</i>	field mustard	I-MI																																									
<i>Caltha palustris</i>	marsh-marigold, cowslip	N-MI					CL																																				
<i>Campanula rapunculoides</i>	creeping or rover-bellflower	I-MI							CS																																		
<i>Caulophyllum thalictroides</i>	late blue cohosh	N-MI																																									
<i>Centaurea nigra</i>	black knapweed	I-MI						CP																																			
<i>Centaurea nigrescens</i> = <i>vochinensis</i>	Wocheiner knapweed	I-MI							CP																																		
<i>Ceratostigma fontanum</i> ssp. <i>vulgare</i>	mouse-ear chickweed	I-MI																																									
<i>Chelidonium majus</i> AVOID	celandine, swallow-wort	I-MA	AP	AW	BM		CQ	CR	CS	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	MC		NO	OH		SF	SM	VH	WC	WI													
<i>Chenopodium album</i>	pigweed, lamb's quarters	I-MI				BP	CL	CQ					EP														SF	VH	WB														
<i>Chimaphila maculata</i>	striped pipsissewa, spotted wintergreen	N-MI					CQ	CS					EP	FB													NA	NO	OP	SF	SM	VH	WC										
<i>Chimaphila umbellata</i> ssp. <i>cisatlantica</i>	pipsissewa, prince's pine	N-MI					CQ																																				
<i>Cichorium intybus</i>	chicory, blue sailors, cornflower	I-MI			BP	CP	CQ	CS					FB		HG																												
<i>Cicutaria maculata</i>	water-hemlock	N-MI			BP																																						
<i>Circaeaa lutetiana</i> ssp. <i>canadensis</i>	enchanter's nightshade	N-MI			BP	CP	CQ	CS																																			
= quadrifolata																																											
<i>Cirsium sp.</i>	thistle	I-MI					CP																																				
<i>Cirsium vulgare</i>	bull or common thistle	I-MI						CW																																			
<i>Commelinia communis</i>	dayflower	I-MI						CQ	CS	DP	DR																																
<i>Conioselinum chinense</i>	hemlock-parsley	N-MA																																									
<i>Convallaria majalis</i>	lily-of-the-valley	I-MI																																									

BOTANICAL NAME	COMMON NAME	NATIVE	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI		
Vicia sp.	vetch	I-MI						CP	CQ								FB																			NC					
Viola lanceolata var. lanceolata	lance-leaf violet	N-MI									CS																														
Viola sagittata = fimbriatula	arrow-leaf violet	N-MI																EB																							
Viola sororia = papilionacea = septentrionalis	common blue violet, dooryard violet	N-MI									CS							FB																							
Viola sp.	violet						BM		CL					DP				GC			HW					MC			MC			OH			SF		VH	WC			
Yucca sp.	yucca	I-MI												DR																											

BOTANICAL NAME GRASSES & RUSHES:	COMMON NAME	NATIVE AP AW BM BP CL CP CQ CR CS CW DP DR EB EP FB GC HB HG HW KP KW LM MC MH NA NC NO OH OP OW SB SF SM VH WB WC WI															
Carex pensylvanica	Pennsylvania sedge	N-MI							FB	HB	KP	KW	NA	SM	SM		
Carex sp.	sedges		BM	CP	CQ	CS	CW	DP		HB				SF	SM		WC
Carex stricta	tussock-sedge	N-MI				CS	DP							SF			
Digitaria sp.	crab-grass						DP		EB	FB							
Juncus effusus	soft or common rush	N-MI				CS	DP										
Juncus sp.																	
Juncus tenuis	path-rush, yard-rush	N-MI				CS							NA				WC
Panicum sp.	panicum														VH		
Phalaris arundinacea	reed canary-grass	N-MI												OH			
Phragmites australis	common reed	N-MI					CW										
Schizachyrium scoparium = Andropogon s.	little bluestem, broom- or prairie-beardgrass	N-MI											NA				WC
Scirpus cyperinus = rubricosus	wool-grass, common bulrush	N-MI				CS	DP										
Spartina sp.	cord-grass			CP													
Typha latifolia	broad-leaved or common cat-tail	N-MI	BM	BP	CL	CS	CW	DP	EP				NC	SF			

INVASIVE PLANTS*

BOTANICAL NAME	QTY	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI
<i>Ampelopsis brevipedunculata</i>	1					CL																															
<i>Acer platanoides</i>	32	AP	AW	BM	BP	CL	CP	CQ	CS		DP	DR	EB	EP	FB	GC	HB	HW		KW	LM	MC	MH	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI		
<i>Acer pseudoplatanus</i>	3					CP			CS																												
<i>Aegopodium podagraria</i>	6					CQ		CS		DP	DR											MC			NO												
<i>Ailanthus altissima</i>	15	AP	AW			CP		CS		DP								HB	HG						MH	NA	NC	NO			SF	SM	VH	WB			
<i>Alliaria petiolata</i>	31	AP	AW	BM		CL	CP	CQ	CR	CS	CW	DP	DR		EP	FB	GC	HB	HW	KP	KW	LM		MH	NA	NC	NO		OP	OW	SB	SF	SM	VH	WC	WI	
<i>Alnus glutinosa</i>	2					CP									EP																						
<i>Amorpha fruticosa?</i>	4					CP					DP																							SF			
<i>Berberis thunbergii</i>	23	AW	BM	BP	CL	CP	CQ	CS		DP	DR		EP		GC	HB	HG	KP	LM			MH	NA	NO		OW		SF	SM			WC	WI				
<i>Celastrus orbiculata</i>	30	AP	BM	BP	CL	CP	CQ	CS	CW	DP	DR		EP		GC	HB	HG	HW	KP	KW	LM		MH	NA	NC	NO		OP	OW	SB	SF	SM	VH	WC	WI		
<i>Chelidonium majus</i>	24	AP	AW	BM			CQ	CR	CS	DP	DR		EP	FB	GC	HB	HG	HW	KP	KW		MC			NO	OH			SF	SM	VH	WC	WI				
<i>Cynanchum louiseae</i>	4				CP		CR									HG																					
<i>Euonymus alatus</i>	31	AP	AW	BM		CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	HB	HW	KP	LM		MC	MH	NA	NC	NO	OH	OP	OW	SF	SM	VH	WC	WI			
<i>Fallopia japonica</i>	22	AW	BM	BP	CL	CP	CQ	CR	CS		DP	DR		EP	FB		HG	HW	KP				NA		OH		OW		SF	SM	VH	WC					
<i>Glechoma hederacea</i>	8	AW			CP		CS			DP							HW							NC					SF			WI					
<i>Hesperis matronalis</i>	2				CP																												WC				
<i>Iris pseudacorus</i>	3		BP	CL						DP																											
<i>Ligustrum vulgare</i>	6				CL											HB							NA		NO								WC	WI			
<i>Lonicera japonica</i>	10	BM			CP		CR			DR	EP		HB		HB	HG							NA		OH		SB		SM								
<i>Lonicera maackii</i>	1				CP																		MC	NA													
<i>Lonicera sp.</i>	4				CQ																												SF				
<i>Lonicera tatarica</i>	1																KP																				
<i>Lysimachia nummularia</i>	1					DP																															
<i>Lythrum salicaria</i>	13	BM	BP	CL	CQ	CS	DP		EP		HG			LM		MH	NA													SF		WC					
<i>Ranunculus ficaria</i>	2					CS																															
<i>Ranunculus repens</i>	3						DP		EP																								SB				
<i>Rhamnus cathartica</i>	16		CL	CQ	CS	DP			EP	FB	GC	HB	HG	KP								MH	NA	NO			SF	SM		WC							
<i>Rhamnus frangula</i>	23	BM	BP	CQ	CS	CW	DP		EP	FB	GC	HB		LM	MC	NA	NC	NO	OH	OP	OW	SB	SF	SM		WB	WC										
<i>Rhamnus sp.</i>	1																HW																				
<i>Robinia pseudoacacia</i>	14			CP	CQ	CS	CW	DP	DR	EB	EP	FB					HW					NA		OP		SF		WC									
<i>Rosa multiflora</i>	26	AW	BM	BP	CP	CQ	CR	CS	CW	DP	DR	EP		GC	HB	HG	HW	KP	LM		MH	NA	NC	NO	OH		SF	SM		WC	WI						
<i>Rosa rugosa</i>	1		BP																																		
<i>Solanum dulcamara</i>	21	BM	BP	CL	CP	CQ	CS	CW	DP							HG	HW	KP	LM		MH	NA	NC	OH			SF	SM	VH	WB	WI						

* Invasive Plant Atlas of New England (IPANE) <http://nbii-nin.ciesin.columbia.edu/ipane/index.htm>

SCIENTIFIC NAME MARINE INVERTEBRATES:	COMMON NAME	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI
	freshwater mussels							CQ																														
	snail							CQ																														
LAND INVERTEBRATES:																																						
Lubricus species	earthworm	AP																EB																				
SPIDERS:																																						
Leiobunum	daddy-long-legs																																				SB	
	forest wolf spider																																					
DRAGONFLIES:																																						
Enallagma cyathigerum	blue damselfly																																					
	blue dasher dragonfly																																					
	damselfly																																					
	darning needle dragonfly																																					
	dragonfly																																					
Ischnura verticalis	Eastern forktail damselfly																																					
Leucorrhinia hudsonica	Hudsonian whiteface																																					
	red dragonfly																																					
Lestes rectangularis	slender spreadwing																																					
Argia fumipennis violacea	spread-winged dragonfly																																					
	variable dancer dragonfly																																					
	yellow-headed meadowhawk																																					
GRASSHOPPERS:	grasshopper																																				SB	
BEETLES:																																						
Popillia japonica	Japanese beetle																																					
	ladybird beetle																																					
FLIES, MOSQUITOES:																																						
Tipula paludosa	European crane fly																																					
Musca domestic	house fly																																					
Culex pipiens	house mosquito	AP	BM	BP	CP																																WC	
ANTS, WASPS, BEES:																																						
Bombus pennsylvanicus	American bumble bee	AP	BP																																		SM	
Camponotus pennsylvanicus	black carpenter ant	AW	AW	BP	CP	CQ																																
Xylocopa virginica	Eastern carpenter bee																																					
Vespa maculifrons	Eastern yellow jacket																																					
Apis mellifera	honey bee	AP	AW	BP	CP																																	
	thread-waisted wasp																																					
	white-faced hornet																																					
	hornet																																					
BUTTERFLIES, MOTHS:	black butterfly																																					
Papilio polyxenes	black swallowtail																																					
	blue darning needle																																					
Pieris rapae	cabbage white	AW	BM	BP	CP	CR	CS	DP	EP	FB	GC	HB	HW	KP	LM	NC																	SF					
Anax junius	Canada darner																																					
Malacosoma americanum	common green darner																																					
	Eastern tent caterpillar																																					

SCIENTIFIC NAME	COMMON NAME	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI
Papilio glaucus	Eastern tiger swallowtail																																					
Lymantria dispar	gypsy moth																																SF		WI			
Danaus plexippus	monarch					CL																											WC		WC			
Nymphalis antiopa	mourning cloak						CP																															
Polites peckius	Peck's skipper																																					
Vanessa atalanta	red admiral						BP																											SB		WI		
Papilio troilus = Heraclides	spicebush swallowtail swallowtail butterfly winter moth yellow swallowtail							CP																														
OTHER INSECT:																																						
Forficula auricularia	European earwig woolly adelgid							CP																											NC NO			

SCIENTIFIC NAME	COMMON NAME	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI
VERTEBRATES:																																						
FISH:																																						
Lepomis macrochirus bluegill BP																																						
FROGS:																																						
Bufo americanus	American toad brown toad							CQ																									SM					
Rana catesbeiana	bullfrog															DP																						
Rana sp.	frog															CL																	SF					
Rana clamitans	green frog tadpoles															DP																	SM					
Bufo sp.	toad							CL																														
TURTLES:																																						
Chrysemys picta	painted turtle turtle							CL								DP																	WC					
SNAKES:																																						
Thamnophis sirtalis	common garter snake																																SM					
MAMMALS:																																						
Parascalops breweri	common mole																																SF					
Canis latrans	coyote															DP																	WC					
Tamias striatus	Eastern chipmunk	AP	BM	BP		CQ	CS	CW				EP	GC	HB		KP	KW															WC						
Sylvilagus floridanus	Eastern cottontail rabbit	AP			CL	CP	CR	CW	DP							HW	KP															WC						
Sciurus carolinensis	Eastern gray squirrel	AP	BM	BP	CP	CQ	CR	CS	CW	DP		EP	FB		HW	KP		LM	MC											SF	WC	WI						
Spermophilus richardsoni	ground squirrel																																					
Mephitis mephitis	striped skunk															CQ																	WC					
Peromyscus leucopus	white-footed mouse																																SF					
Odocoileus virginianus	white-tail deer					BM												HB															WC					

SCIENTIFIC NAME	COMMON NAME	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI						
BIRDS:																																												
Anas rubripes	American black duck						CP	CQ																																				
Carduelis tristis	American goldfinch				BP	CP		CR	CS	CW	DP		EP			HG								NA	NC				SF	SM														
Setophaga ruticilla	American redstart																		KP																									
Turdus migratorius	American robin	AP	AW	BM	BP	CP	CQ	CR	CS	CW	DP	EB	EP	GC	HB	HW	KP		LM			NA	NC	NO	OH	OP	OW	SF	SM	VH	WC													
Spizella arborea	American tree sparrow																							NA																				
Icterus galbula	Baltimore oriole					CL	CP		CS	DP		EP	GC		HW		LM							NC																				
Ceryle alcyon	belted kingfisher					BP	CL																										WC											
Mniotilla varia	black-and-white warbler											DP		EP																														
Poecile atricapilla	black-capped chickadee	BM	BP	CP	CQ	CR	CS	CW	DP		EB	EP	FB		HW	KP	LM	MC	NA	NC	NO		OW		SF	SM	VH	WC	WI															
Dendroica striata	blackpoll warbler										DP																																	
Cyanocitta cristata	blue jay	AP					CR	CS	CW	DP	DR	EP			KP				NA	NC	NO			SF	SM	VH	WC	WI																
Sialia currucoides	bluebird																		NA																									
Polioptila caerulea	blue-gray gnat catcher																															WC												
Anas discors	blue-winged teal											DP																																
Certhia americana	brown creeper											CS																				VH												
Molothrus ater	brown-headed cowbird											DP																																
Bucephala albeola	bufflehead					CL																																						
Branta canadensis	Canada goose	BP	CL	CP	CQ	CR	CS	DP	DR			GC				LM		NA					SF		WC																			
Thyrothorus ludovicianus	Carolina wren			CP				CS	CW	DP			EB										SF	SM																				
Bombycilla cedrorum	cedar waxwing									DP		EB																																
Spizella passerina	chipping sparrow									EB						LM		NC					SB																					
Corvus brachyrhynchos	common crow						CS	DP		EP		HB		HW	KP		MH	NA	NO																									
Bucephala clangula	common goldeneye																						SF																					
Quiscalus quiscula	common grackle	AP	AW	BM	BP	CP	CR	CS	DP	DR	EP	FB	GC	HB	HW							SF	SM	WC	WI																			
Mergus merganser	common merganser			BP																		SF		WC																				
Corvus corax	common raven						CS															SF																						
Geothlypis trichas	common yellowthroat											DP		EP	GC																													
Accipiter cooperii	Cooper's hawk											DP																																
Junco hyemalis	dark-eyed junco						CS	DP		EP			HW				NA	NO				SF	SM	VH	WC																			
Phalacrocorax auritus	double-crested cormorant																						WC																					
Picoides pubescens	downy woodpecker	AP	AW			CP	CQ	CS	DP		EP	FB		HW	KP			NO		OW	SF	SM	VH	WC																				
Tyrannus tyrannus	eastern kingbird																																											
Sayornis phoebe	eastern phoebe											CS	DP				HW																											
Otus asio	eastern screech owl											DP																																
Pipilo maculatus	eastern towhee											DP																																
Contopus virens	eastern wood-peewee															HB		KP																										
Sturnus vulgaris	European starling					CP	CR	CS	DP							HW																		WI										
Regulus satrapa	golden-crowned kinglet											CS																					VH											
Dumetella carolinensis	gray catbird					CP		CS	CW	DP	EP	GC		KP		LM		NA	NC	OP	SF																							
Larus marinus	great black back gull											DP																																
Ardea herodias	great blue heron					CQ		CS	DP		EP																																	
Myiarchus crinitus	great crested flycatcher							CS	DP																																			
Ardea alba	great egret								DP																																			
Picoides villosus	hairy woodpecker								CS																								SF		WC									
Cathartes guttatus	hermit thrush											DP																																
Larus argentatus	herring gull																																											
Lophodytes cucullatus	hooded merganser			CL		CQ		CS																																				
Carpodacus mexicanus	house finch					CQ		CS																																				
Passer domesticus	house sparrow		BM	BP	CL	CP	CQ	CR		DP	EP	GC		HW				NC			OP		VH																					
Troglodytes aedon	house wren								DP		EP																																	
Charadrius vociferus	killdeer																																											
Calidris minutilla	least sandpiper								DP																																			
Anas platyrhynchos	mallard duck	AW	BP	CL	CP	CQ	CR	CS	CW	DP	EP	GC							MH	NC		SF	SM	WC																				

SCIENTIFIC NAME	COMMON NAME	AP	AW	BM	BP	CL	CP	CQ	CR	CS	CW	DP	DR	EB	EP	FB	GC	HB	HG	HW	KP	KW	LM	MC	MH	NA	NC	NO	OH	OP	OW	SB	SF	SM	VH	WB	WC	WI		
Zenaida macroura	mourning dove	AP		BM			CP	CQ	CR	CS		DP		EB		GC		HW	KP		LM		NA	NC	NO	OH		OP	OW	SB	SF	SM		WC						
Cygnus olor	mute swan					CL		CQ																						SF			WC							
Cardinalis cardinalis	northern cardinal			BM		CP		CR	CS	CW	DP			EP		GC		HW	KP		LM								OW	SF	SM		WI							
Colaptes auratus	northern flicker			AW	BM	CP		CR	CS		DP		EB	EP						KP								SF	SM		WC									
Circus cyaneus	northern harrier																																							
Mimus polyglottos	northern mockingbird				BP	CL	CP					DP																												
Parula americana	northern parula									CS					EP																									
Seiurus noveboracensis	northern waterthrush											DP																												
Seiurus aurocapillus	ovenbird											DP																												
Dendrocoica palmarum	palm warbler														EP																		SF		WC					
Dendroica pinus	pine warbler																																			WC				
Carpodacus purpureus	purple finch																																			SM				
Melanerpes carolinus	red-bellied woodpecker							CS			DP		EB	EP																				SF						
Sitta canadensis	red-breasted nuthatch										DP																													
Mergus serrator	red-breasted merganser						CQ																																	
Vireo olivaceus	red-eyed vireo							CS			DP																													
Buteo jamaicensis	red-tailed hawk	BP	BP	CL	CP	CR	CS	CW		DP	DR	EB	EP	GC	HG		KP		LM		MH	NA	NC				SF	SM		WC										
Agelaius phoeniceus	red-winged blackbird	BM	BP	CL	CP																									SF	SM		WC							
Larus delawarensis	ring-billed gull			CL																											SF			WC						
Aythya collaris	ring-necked duck																															SF								
Columba livia	rock dove (feral pigeon)		BP											DP																										
Pheucticus ludovicianus	rose-breasted grosbeak							CS																																
Piranga olivacea	scarlet tanager							CS																																
Accipiter striatus	sharp-shinned hawk		BP																																	SF				
Tringa solitaria	solitary sandpiper									DP																														
Melospiza melodia	song sparrow	BP		CP	CQ	CR	CS		DP		EP		GC																	SF	SM	VH	WC							
Actitis macularia	spotted sandpiper								DP																															
Cathartes ustulatus	Swainson's thrush																																							
Tachycineta bicolor	tree swallow								DP																															
Baeolophus bicolor	tufted titmouse	BM		CQ	CR	CS		DP		EP																					SF	SM	VH	WC						
Cathartes aura	turkey vulture						CS	DP																								SF		WC						
Vireo gilvus	warbling vireo																																							
Sitta carolinensis	white-breasted nuthatch	CL		CQ	CS	DP		EP		HW	KP																			OW	SF	SM	WC							
Zonotrichia albicollis	white-throated sparrow		CQ	CR	CS	CW	DP	EP	EP	KP	KP																													
Aix sponsa	wood duck	CP	CQ				DP																															WC		
Hylocichla mustelina	wood thrush						CS		DP		EP																				SF									
Dendroica petechia	yellow warbler	CP		CS		DP		EP																							SF									
Dendroica coronata	yellow-rumped warbler					DP		EP																							SF									